

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4725	(transfer\$4 or transition\$3 or enter\$3 or switch\$3 or exit\$3) near6 (((high or low) near2 speed) near3 (mode\$1 or state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:10
L2	3969	(transfer\$4 or transition\$3 or enter\$3 or switch\$3) near6 ((high near2 speed) near3 (mode\$1 or state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:43
L3	47	((detect\$3 or sens\$4 or determin\$5) near6 (((external\$2 or outside or AC) near2 power) near3 restor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:16
L4	0	2 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:12
L5	1163	(detect\$3 or sens\$4 or determin\$5) near6 (power near3 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:13
L6	0	2 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:12
L7	1	2 same (power near3 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:53
L8	27774	((high or low) near2 speed) near3 (mode\$1 or state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:45
L9	0	3 same L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:14
L10	4725	8 same 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:15

L11	3969	8 same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:15
L12	3969	8 with 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:15
L13	0	11 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:15
L14	1	11 same (power near3 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:27
L15	0	8 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:16
L16	4	3 same microcomputer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:22
L17	1	3 with microcomputer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:17
L18	29087	different near6 (clock\$1 or (clock near2 (frequenc\$3 or speed\$1 or rate\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:18
L19	0	3 same L18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:18
L20	0	3 same ((fast\$2 or slow\$3 or high\$2 or low\$4 or first or second or reduc\$3 or increas\$3 or decreas\$3) near6 (clock\$1 or (clock near2 (frequenc\$3 or rate\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:21

L21	145	2 same (((fast\$2 or slow\$3 or high\$2 or low\$4 or first or second or reduc\$3 or increas\$3 or decreas\$3) near6 (clock\$1 or (clock near2 (frequenc\$3 or rate\$1))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:23
L22	79	2 with (((fast\$2 or slow\$3 or high\$2 or low\$4 or first or second or reduc\$3 or increas\$3 or decreas\$3) near6 (clock\$1 or (clock near2 (frequenc\$3 or rate\$1))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:21
L23	17	21 same microcomputer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:24
L24	2	22 with microcomputer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:22
L25	3014	(transition\$3 or enter\$3 or switch\$3) near6 ((high near2 speed) near3 (mode\$1 or state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:45
L26	93	25 same (((fast\$2 or slow\$3 or high\$2 or low\$4 or first or second or reduc\$3 or increas\$3 or decreas\$3) near6 (clock\$1 or (clock near2 (frequenc\$3 or rate\$1))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:34
L27	64	25 with (((fast\$2 or slow\$3 or high\$2 or low\$4 or first or second or reduc\$3 or increas\$3 or decreas\$3) near6 (clock\$1 or (clock near2 (frequenc\$3 or rate\$1))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:24
L28	6	26 same microcomputer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:31
L29	2	27 with microcomputer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:26
L30	1	25 same (power near6 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:27

L31	3014	8 same 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:28
L32	3014	8 with 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:28
L33	6	31 same 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:28
L34	3	32 with 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:29
L35	3	("5625311" "6084441" "6515519").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/12 07:30
L36	612	(normal near3 (mode or state)) near6 ((high adj speed) near3 (mode or state))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/12 07:31
L37	16	36 same microcomputer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:46
L38	7	36 with microcomputer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:32
L39	32	36 same ((fast\$2 or high\$2 or first or increas\$3) near6 (clock\$1 or (clock near2 (frequenc\$3 or rate\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:47
L40	19	36 with (((fast\$2 or high\$2 or first or increas\$3) near6 (clock\$1 or (clock near2 (frequenc\$3 or rate\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:35
L45	23638	(high near2 speed) near3 (mode\$1 or state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:45

L46	5873	45 same (transition\$3 or enter\$3 or switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:45
L47	4097	45 with (transition\$3 or enter\$3 or switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:46
L48	191	46 same 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:46
L49	148	47 with 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:46
L50	2	48 same microcomputer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:46
L51	16	48 same (((fast\$2 or high\$2 or first or increas\$3) near6 (clock\$1 or (clock near2 (frequenc\$3 or rate\$1))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:48
L52	8	49 with (((fast\$2 or high\$2 or first or increas\$3) near6 (clock\$1 or (clock near2 (frequenc\$3 or rate\$1))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:47
L57	0	46 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:51
L58	4	46 same (power near3 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:55
L59	2	47 with (power near3 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:55

L60	0	45 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:55
L61	10	45 same (power near3 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:55
L62	8	45 with (power near3 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 07:57
L63	1	("5133418").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/12 07:56
L64	2	("5757302").URPN.	USPAT	OR	OFF	2005/08/12 07:57

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1163	(detect\$3 or sens\$4 or determin\$5) near6 (power near3 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:46
L2	47	L1 same periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:44
L3	21	L1 with periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:34
L4	0	2 same microcomputer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:34
L5	7	(periodic\$4 near3 (detect\$3 or sens\$4 or determin\$5)) near6 (power near3 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:34
L6	23	2 same (processor or microprocessor or CPU or controller or microcontroller or microcomputer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:43
L11	319	1 same (processor or microprocessor or CPU or controller or microcontroller or microcomputer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:43
L12	212	1 with (processor or microprocessor or CPU or controller or microcontroller or microcomputer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:43
L13	23	11 same periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:47
L14	8	12 with periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:44

L15	128	1 same (timer or counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:45
L16	73	1 with (timer or counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:45
L17	10	15 same periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:46
L18	1	16 with periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:46
L19	267	(power near3 restor\$5) near6 (timer or counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:47
L20	6	19 same periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:47
L21	2	19 with periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:47

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1163	(detect\$3 or sens\$4 or determin\$5) near6 (power near3 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:19
L3	439	L2 same ((time near2 (periodS or interval\$1)) or duration or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:08
L4	62	L2 same ((set or predetrmined or first or initial) near6 ((time near2 (periodS or interval\$1)) or duration or time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:16
L5	26	L2 with ((set or predetrmined or first or initial) near6 ((time near2 (periodS or interval\$1)) or duration or time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:09
L6	13	L2 same ((set or predetrmined or first or initial) near6 ((time near2 (period\$1 or interval\$1)) or duration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:19
L7	6	L2 with ((set or predetrmined or first or initial) near6 ((time near2 (period\$1 or interval\$1)) or duration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:10
L8	40	L2 same ((set or predetermined or first or initial) near6 ((time near2 (period\$1 or interval\$1)) or duration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:10
L9	22	L2 with ((set or predetermined or first or initial) near6 ((time near2 (period\$1 or interval\$1)) or duration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:11
L10	5	8 same periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:20
L11	1	9 with periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:11

L12	535	(power near3 restor\$5) same ((set or predetrmined or first or initial) near6 ((time near2 (periodS or interval\$1)) or duration or time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:16
L13	253	(power near3 restor\$5) with ((set or predetrmined or first or initial) near6 ((time near2 (periodS or interval\$1)) or duration or time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:16
L14	16	12 same periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:17
L15	1	13 with periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:17
L16	4078	(detect\$3 or sens\$4 or determin\$5) same (power near3 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:25
L17	2012	(detect\$3 or sens\$4 or determin\$5) with (power near3 restor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:19
L18	45	16 same ((set or predetrmined or first or initial) near6 ((time near2 (period\$1 or interval\$1)) or duration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:21
L19	11	17 with ((set or predetrmined or first or initial) near6 ((time near2 (period\$1 or interval\$1)) or duration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:20
L20	123	16 same periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:26
L21	29	17 with periodic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:20

L22	3	20 same ((set or predetrmined or first or initial) near6 ((time near2 (period\$1 or interval\$1)) or duration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:21
L23	22	20 same (counter or timer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:23
L24	1	16 same (periodic\$4 near6 sampl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:29
L25	1	17 with (periodic\$4 near6 sampl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:28
L26	0	("4387305").URPN.	USPAT	OR	OFF	2005/08/12 14:28
L27	26	16 same (periodic\$4 near6 (sampl\$3 or check\$3 or sens\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:30
L28	6	17 with (periodic\$4 near6 (sampl\$3 or check\$3 or sens\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:29